

McNess 35% Bova Max Tubs™

Available in pallets or truck load lots.



McNess Bova Max 35 Tub
For Beef Cattle on Pasture

Guaranteed Analysis
Crude Protein (min) 35.0%
Crude Fat (min) 4.0%
Crude Fiber (max) 5.0%
Calcium (min) 4.0%
Calcium (max) 5.0%
Phosphorus (min) 0.8%
Magnesium (min) 1.8%
Copper (min) 160 ppm
Iodine (min) 9 ppm
Manganese (min) 350 ppm
Selenium (min) 2.0 ppm
Zinc (min) 500 ppm
Vitamin A (min) 15,000 IU/lb
Vitamin D-3 (min) 1,500 IU/lb
Vitamin E (min) 15 IU/lb
Thiamine (min) 25 mg/lb

Ingredients
Plant Protein Products, Processed Grain By-Products, Calcium Hydroxide, Urea, Magnesium Oxide, Vegetable Oil, Molasses Products, Monocalcium Phosphate, Dicalcium Phosphate, Calcium Carbonate, Propionic Acid, Ethylenediamine Dihydrochloride, Cottonseed Oil, Sodium Selenate, Cobalt Carbonate, Thiamine Mononitrate, Vitamin A Supplement, Vitamin D-3 Supplement, and Vitamin E Supplement.

Feeding Recommendations
Feed Bova Max 35 Tub free-choice to cattle on all types of roughage. Feed one tub per 20 head of beef or roughage. Feed one tub per 20 head of dairy cattle approximately 1 to 2 pounds per head per day. If cattle consume more or less than the desired amount, reposition the tubs to achieve the proper consumption. Provide a continuous supply of clean, fresh water and all the roughage the cattle will eat from water past at the roughage the cattle will eat. Factors affecting consumption are variations in forage quality and availability of such forages. In addition, the nutritional needs of the cattle must be balanced. After initial adjustment period of 7 to 10 days from tub introduction, average consumption should be 1 to 2 pounds per head per day with consistent forage.

CAUTION: Use as directed. Consumption of tubs should not exceed 3 mg per head daily.

WARNING: This product which contains added copper, should not be fed to sheep or any species with a low tolerance to supplemental copper.

NET WEIGHT: 200 LBS. (90.7 KG)
BRT700
66592

Manufactured by:
FURST-McNESS COMPANY
P.O. Box 1000
Millsboro, DE 19966

FEATURES

- ◆ 35% Protein
- ◆ Natural & NPN Protein Sources
- ◆ 4% Fat for Energy
- ◆ Added Vitamins & Minerals
- ◆ Convenient & Portable Supplementation

	Guaranteed Analysis (As Is)
Crude Protein, min.*	35.0%
*This includes not more than 7.2% equivalent crude protein from non-protein nitrogen.	
Crude Fat, min.	4.0%
Crude Fiber, max.	5.0%
Calcium, min.	4.0%
Calcium, max.	5.0%
Phosphorus, min.	0.8%
Magnesium, min.	1.8%
Cobalt, min.	1.3 ppm
Copper, min.	160 ppm
Iodine, min.	9 ppm
Manganese, min.	350 ppm
Selenium, min.	2.0 ppm
Zinc, min.	500 ppm
Vitamin A, min.	15,000 IU/lb
Vitamin D-3, min.	1,500 IU/lb
Vitamin E, min.	15 IU/lb
Thiamine, Min.	25 mg/lb

INGREDIENTS
Plant Protein Products, Processed Grain By-Products, Calcium Hydroxide, Urea, Magnesium Oxide, Vegetable Oil, Molasses Products, Monocalcium Phosphate, Dicalcium Phosphate, Calcium Carbonate, Propionic Acid, Zinc Oxide, Copper Sulfate, Manganese Oxide, Ethylenediamine Dihydrochloride, Cottonseed Oil, Sodium Selenate, Cobalt Carbonate, Thiamine Mononitrate, Vitamin A Supplement, Vitamin D-3 Supplement, and Vitamin E Supplement.

FEEDING INSTRUCTIONS
Feed Bova Max 35 Tub free-choice to cattle on all types of roughages. Feed one tub per 20 head of cattle. Feed the tubs continuously. Cattle should consume approximately 1 to 2 pounds per head per day. If cattle consume more or less than the desired amount, reposition the tubs to achieve the proper consumption. Provide a continuous supply of clean, fresh water and all the roughage the cattle will eat. Factors affecting consumption are variations in forage quality and availability of such forages. In addition, the nutritional needs of the cattle must be balanced. After initial adjustment period of 7 to 10 days from tub introduction, average consumption should be 1 to 2 pounds per head per day with consistent forage.

BRT700
200 pound tubs

Contact Furst-McNess to order your tubs today!

800.435.5100 ext 711



FURST-McNESS COMPANY